



ATEC 322 FAETA LSA

Pricelist 2015

prices in EUR without VAT, EX WORKS

Client :

Basic version (includes equipment described below)

Propulsion unit + accessory

Engine ROTAX 912 UL, 80HP
 Engine mount, silentblocks set
 Oil circuit = oil cooler + holders, hoses, oil AEROSHELL PLUS 4
 Fuel circuit = main + standby circuit, pipelines fire protected
 Water circuit = cooler + holders, pipes, coolant
 Exhaust system ROTAX stainless + pipes
 Propeller FITI 3-blade ground adjustable 1580 mm + spinner + plate
 Battery 12V 8Ah
 Switch panel ETA fuses + starter key, 12V socket

Airframe + accessory (exterior)

Airframe completely from CARBON composite
 Final surface finish - white
 Colourless canopy with sliding windows
 Fuel tanks in the wing 2 x 13,21 US gal
 Front wheel 4' + main wheels 6' with hydraulic brakes, lever on the stick
 Wheel spats
 Anchor loops on the wingtips

Airframe + accessory (interior)

Interior upholstery (optional colours), side cockpit net pockets
 Seats upholstered, height adjustable
 Luggage space + fixing net
 Pedals fixed
 Elevator trim mechanical
 Flaps control mechanical
 Safety belts four-point 55mm, standard lock release
 Instrument panels - dural

Flight instrumentation

airspeed indicator, altimeter, vario, skid ball, magnetic compass

Engine instrumentation

oil pressure, oil temperature, cylinder head temperature, exhaust gas temperature, fuel pressure, 2 x fuel indicator, RPM+enginehours, DC supply light

PRICE OF BASIC VERSION

69.200 €

296

Optional equipment (prices including installation)

	<i>to choose the item insert "x"</i>	↓	EUR	kg	EUR	kg
Propulsion unit + accessory						
Upgrade to ROTAX 912 S 100 hp				3		
Upgrade to ROTAX 912 iS SPORT 100 hp				8,5		
Stainless steel firewall (for LSA)				0,5		
Carburators fore-heating (not available in configuration with R912 iS)				0,8		
Airbox (not available in configuration with R912 iS)				0,7		

Fireproof hoses protection	0,4
Water thermostat	0,5
Oil thermostat	0,9
Electric regulating flap for oil cooler	0,1
Propeller FITI 2-blade ground adjustable 1680 mm (special for R 912 iS)	-1,5
Propeller FITI 3-blade in flight adjustable 1580 mm (electric control)	2,7
Propeller FITI 3-blade ground adjustable 1700 mm towing specialized	0,1
Propeller FITI 3-blade in flight adjustable 1700 mm towing special (electr.)	2,8
Constant speed control system (for all types adjustable propellers)	0,2
Battery 12V 14 Ah	1,8
Battery 12V 18 Ah	2,8
Battery Super B 5200 5 Ah	-1,5
Airframe + accessory (exterior)	
Tinted canopy (green)	0
Tinted canopy (brown)	0
Fuel tank 70L in the fuselage (old option for light versions)	-4,4
Main wheels 6''K-216A with hydraulic brakes ECO	-1,5
Main wheels 6''K-226A with hydraulic brakes ECO -POWER	-0,6
Foot steps	0,9
Canopy lock	0,1
AVEOfash LP ultra, combined LED lights on the wingtips	0,6
Front light 50W	0,3
Towing set - TOST E 85, additional oil cooler, oil thermostat, mirror	3,2
Colour sticker design (optional)	1,9
Colour design individual, out of standard offer	*
Canopy cloth indoor protection	
Wings L+R cloth indoor protection	
Horizontal tail cloth indoor protection	
Airframe + accessory (interior)	
Carbon seats, upholstered, adjustable forwards-backwards	-1,5
Rescue system pre-installation	2,3
Rescue system USH 52 S, 600 kg	13
Additional luggage space, half-bulkhead behind the seats	0,8
Pedals adjustable	0,6
Elevator trim electric	0,4
Aileron trim electric	0,4
Flaps control electric	1,1
Safety belts four-point 70mm, central lock release	1,3
Instrument panels - carbon	-0,2
Cockpit hot-air heating	0,9
Brake lever on both sides	0,4
Flight instrumentation (prices including installation)	
Turn indicator RCA 82 A-11 (80mm)	0,6
Artificial horizon RCA 26 (80mm)	1,4
Compass PAI 700	0,4
Accelerometer TL-3424	0,3
Altimeter with encoder TL-3524	0,3
Engine instrumentation (prices including installation)	
EMS Integra (for ROTAX 912 iS)	1,2
Manifold pressure indicator	0,7

Fuel computer TL 2524		0,7	
Voltmeter		0,3	
Instrumentation - wireless communication (prices including installation)			
Radio ICOM A210 (integrated intercom)		1,3	
Radio Garmin GTR 225A		1,3	
Radio Funkwerk Filser ATR -500		1,2	
Radio Funkwerk Filser ATR -833		1,2	
Transponder Garmin GTX -330		2	
Transponder Funkwerk Filser TRT-800H (circular 57mm)		1,2	
Transponder Funkwerk Filser TRT-800A (angular 160mm x 41mm)		1,2	
Encoder A-30 ACK		0,3	
Intercom Flightcom 403 MC		0,2	
Intercom TL-2424		0,4	
ELT E-04 ACK 406 MHz		1,6	
Headset Lightspeed Aviation 20XLc, 1 ks			
TRX 2000 Flarm (antene ADS-B + flarm)		0,5	
Instrumentation - navigation GPS (prices including installation)			
Garmin AERA 500, including installation dock		0,9	
Garmin GPSmap 795, including installation dock		1,1	
Garmin GPSmap 695, including installation dock		1,1	
Avmap EKP V., including installation dock		1,1	
Garmin AREA 550, including installation dock		0,9	
Instrumentation - glasscockpit EFIS / EMS (prices including installation)			
INTEGRA TL 6524 + TL 6724, in standard configuration (for Rotax ULS)*		-0,8	
INTEGRA TL 6524 + TL ROTAX 7124, in standard configuration (for Rotax iS)		-0,8	
INTEGRA 9" display upgrade (applicable for any configured screen)		0,4	
Autopilot (in INTEGRA)		2,2	
DYNON SKYVIEW D1000 + D700, in standard configuration*		0,8	
Autopilot (in DYNON)		2,4	
Set of reserve flight instruments WINTER 58mm - ASI, ALT		0,4	
* the price is preliminary, final price will be settled based on individual configuration			
			kg
FINAL PRICE OF INDIVIDUAL CONFIGURATION		69.200 €	296

PLEASE MARK PREFERRED UNITS INDICATED ON INSTRUMENTS:

Speed indicator	<input type="checkbox"/>	km/h	<input type="checkbox"/>	kt
Altimeter	<input type="checkbox"/>	m	<input type="checkbox"/>	ft
Variometer	<input type="checkbox"/>	m/s	<input type="checkbox"/>	ft/min
Compass	<input type="checkbox"/>	north	<input type="checkbox"/>	south
Pressure gauge	<input type="checkbox"/>	mbar	<input type="checkbox"/>	inHg
Pilot's seat position	<input type="checkbox"/>	left	<input type="checkbox"/>	right
Database for GPS and 3D terrain	<input type="checkbox"/>	Atlantic	<input type="checkbox"/>	Pacific

Interior upholstery colours:
Colour sticker design:

Customer:

Name:
Adress:
Country:
Telephone:
e-mail:
VAT:
Date of delivery:
Date: Signature:

Note:

[E-mail : jd@atecaircraft.be](mailto:jd@atecaircraft.be)