



ATEC 122 Zephyr

Pricelist 2016

prices in EUR without VAT, EX WORKS

ATEC v.o.s., Opolanská 350, 28907 Libice nad Cidlinou, Czech Republic, sales@atecaircraft.eu, www.atecaircraft.eu

Basic version (includes equipment described below)

Propulsion unit + accessory

Engine ROTAX 912 UL, 80HP
 Engine mount, silentblocks set
 Oil circuit = oil cooler + holders, hoses, oil AEROSHELL PLUS 4
 Fuel circuit = main + standby circuit, fire-protected pipelines
 Water circuit = cooler + holders, pipes, coolant
 Exhaust system ROTAX stainless + pipes
 Propeller FITI 3-blade ground adjustable 1580 mm + spinner + plate
 Battery 12V 8Ah
 Switch panel ETA circuit breakers + ignition key, 12V socket

Airframe + accessory (exterior)

Complete airframe
 Final surface finish - white
 Colourless canopy with sliding windows
 Fuel tank in the fuselage 60 L
 Front wheel 4' + main wheels 6' ECO with hydraulic brakes, brake lever on the stick
 Wheel spats
 Anchor loops on wingtips

Airframe + accessory (interior)

Interior upholstery, net pockets on sides of the cockpit
 Seats upholstered, height adjustable
 Luggage compartment + fixing net
 Pedals fixed
 Elevator trim mechanical
 Flaps control mechanical
 Safety belts four-point 55mm, standard lock release
 Instrument panels - dural

	EUR	kg
PRICE OF BASIC VERSION (without instruments)	59700	275

Optional equipment (prices including installation)						
	to choose the item - insert "x"	↓	EUR	kg	EUR	kg
Propulsion unit + accessory						
Upgrade to ROTAX 912 ULS 100 HP				3		
Upgrade to ROTAX 912 iS SPORT 100 hp				8,5		
Carburators fore-heating (not available in configuration with R912 iS)				0,8		
Airbox (not available in configuration with R912 iS)				0,7		
Fireproof protection of hoses				0,4		
Water thermostat				0,8		
Oil thermostat				0,9		
Propeller FITI 2-blade ground adjustable 1680 mm (special for R 912 iS)				-1		
Propeller FITI 3-blade in flight adjustable 1580 mm (electric control)				2,7		
Propeller FITI 3-blade ground adjustable 1700 mm towing specialized				0,1		
Propeller FITI 3-blade in flight adjustable 1700 mm towing special (electr.)				2,8		
Constant speed control system (for all types of adjustable propellers)				0,2		
Battery 12V 14 Ah				1,8		
Battery 12V 18 Ah				2,8		
Battery Super B 5200 5 Ah				-1,5		
Airframe + accessory (exterior)						
Tinted canopy green - upgrade				0		
Fuel tank 80L in the fuselage (old option for light versions)				1		
Main wheels 6" K-226A with hydraulic brakes ECO -POWER				0,8		
Foot steps				0,9		
Canopy lock				0,1		
AVEOfash LP ultra, combined LED lights on the wingtips				0,6		
Front light 50W				0,3		
Towing set - TOST E 85, additional oil cooler, oil thermostat, mirror				3,2		
Colour sticker design (optional)				1,9		
Colour design individual, out of standard offer				*		
Cloth indoor protection of the canopy						
Cloth indoor protection of wings L+R						
Cloth indoor protection of the horizontal tail						
Airframe + accessory (interior)						
Rescue system pre-installation				2,3		
Rescue system USH 52 S, V max = 293 km/h				13		
Additional luggage space, half-bulkhead behind the seats				0,8		
Pedals adjustable				0,6		
Elevator trim electric				0,4		
Aileron trim electric				0,4		
Flaps control electric				1,1		
Safety belts four-point 70mm, central lock release				1,3		
Instrument panels - carbon				-0,2		
Cockpit hot-air heating				0,9		
Brake lever on both sides				0,4		
Stick Grip Ray Allen G 207				0,1		
Stick Grip Ray Allen G 205				0,1		
Sun curtain (on suction caps, removable)						

Flight instrumentation (prices including installation)			
Air speed indicator LUN 1106 (300 km/h or 150 kt) diam. 80mm	x	0,4	0,4
Altimeter 20000 ft (mb or inHg) diam.80mm	x	0,4	0,4
Variometer (+/-10m/s or +/- 2000 fpm) diam.80 mm		0,4	
Variometer Winter , diam.58 mm		0,3	
Magnetic compass CM 24		0,2	
Magnetic compass PAI700	x	0,2	0,2
Skid ball	x	0,1	0,1
Set of back-up flight instruments WINTER diam. 58mm - ASI, ALT		0,6	
Turn indicator RCA 82 A-11 (80mm)		0,6	
Artificial horizon RCA 26 (80mm)		1,4	
Accelerometer TL-3424		0,3	
Engine instrumentation (prices including installation)			
EMS Integra (for ROTAX 912 iS)		1,2	
Manifold pressure indicator		0,3	
Fuel computer TL 2524		0,7	
Voltmeter		0,3	
Oil pressure, oil temperature, cylinder head temperature, exhaust gas temperature, fuel pressure, 2 x fuel indicator, RPM+enginehours	x	1,5	1,5
Instrumentation - wireless communication (prices including installation)			
Radio ICOM A210 E, 8,33kHz (integrated intercom VOX)		1,3	
Radio Garmin GTR 225A, 8,33 kHz, (integrated intercom VOX)		1,5	
Radio Funkwerk Filser ATR -500		1,2	
Radio Funkwerk Filser ATR -833-OLED		1,2	
Radio Dittel KRT 2		0,8	
Radio Becker AR-6201		1,2	
Transponder Garmin GTX -335 (ADS-B "OUT")		2	
Transponder Funkwerk Filser TRT-800H (circular 57mm)		1,2	
Transponder Funkwerk Filser TRT-800A (angular 160mm x 41mm)		1,2	
Transponder Dittel KTX 2		0,8	
Encoder A-30 ACK		0,3	
Intercom Flightcom 403 MC		0,2	
Intercom TL-2424		0,4	
ELT AK-451 406 MHz		1,6	
Instrumentation - navigation GPS (prices including installation)			
Garmin AERA 500, including installation dock		0,9	
Garmin GPSmap 795, including installation dock		1,1	
Garmin GPSmap 695, including installation dock		1,1	
Avmmap EKP V., including installation dock		1,1	
Garmin AERA 550, including installation dock		0,9	
Garmin GDL 39		0,2	

Instrumentation - glasscockpit EFIS / EMS (prices including installation)				
INTEGRA TL 6524 + TL 6724, in standard configuration (for Rotax ULS)*			3,5	
INTEGRA TL 6524 + TL 7124, in standard configuration (for Rotax iS)*			3,5	
INTEGRA 9" screen upgrade (applicable for any configured screen)			0,4	#VALEUR! 0
Autopilot INTEGRA, 2 axis			2,2	
Easy Remote Control for Integra Glass Cockpit			0,4	
DYNON SKYVIEW D1000 + D1000, in standard configuration*			5	
DYNON SKYVIEW D1000 + D700, in standard configuration*			4	
DYNON SKYVIEV D700 + D700*			3,5	
Autopilot Dynon (2 axis)			2,5	
Autopilot control panel Dynon			0,3	
Garmin G3X Touch Display 10,6''+10,6'' (ADAHRS,GMU22,OAT,EIS)*			7	
Garmin G3X Combines dual Display 10,6''+ 7'' (ADAHRS,GMU22, OAT, EIS)			6	
Autopilot Garmin, 2 axis (2x GSA 28 servo)			2,5	
Garmin GMC 305, autopilot control panel			0,3	

* price is preliminary, final price will be calculated according to individual configuration

** the ignition key is not available at Rotax 912 iS

kg

PRICE OF INDIVIDUAL CONFIGURATION		277,6
Final price (without VAT)		EUR

PLEASE MARK REQUESTED UNITS AND OPTIONS:

Speed indicator	<input type="checkbox"/>	km/h	<input type="checkbox"/>	kt
Altimeter	<input type="checkbox"/>	m	<input type="checkbox"/>	ft
Variometer	<input type="checkbox"/>	m/s	<input type="checkbox"/>	ft/min
Compass	<input type="checkbox"/>	north	<input type="checkbox"/>	south
Pressure gauge	<input type="checkbox"/>	mbar	<input type="checkbox"/>	inHg
Pilot's seat position	<input type="checkbox"/>	left	<input type="checkbox"/>	right
Database for GPS and 3D terrain	<input type="checkbox"/>	Atlantic	<input type="checkbox"/>	Pacific

Interior upholstery colours:
Colour sticker design:

Customer:

Name:	
Adress:	
Country:	
Telephone:	
e-mail:	
VAT:	
Date of delivery:	
Date:	Signature:

Note:

ATEC Belgium, www.atecaircraft.be N'hésitez pas à nous consulter pour les Tarif du Zephyr et de ses optionsAtec